CONSORT-EHEALTH (V 1.6.1) - Submission/Publication Form

The CONSORT-EHEALTH checklist is intended for authors of randomized trials evaluating web-based and Internet-based applications/interventions, including mobile interventions, electronic games (incl multiplayer games), social media, certain telehealth applications, and other interactive and/or networked electronic applications. Some of the items (e.g. all subitems under item 5 - description of the intervention) may also be applicable for other study designs.

The goal of the CONSORT EHEALTH checklist and guideline is to be
a) a guide for reporting for authors of RCTs,
b) to form a basis for appraisal of an ehealth trial (in terms of validity)

CONSORT-EHEALTH items/subitems are MANDATORY reporting items for studies published in the Journal of Medical Internet Research and other journals / scientific societies endorsing the checklist.

Items numbered 1., 2., 3., 4a., 4b etc are original CONSORT or CONSORT-NPT (non-pharmacologic treatment) items.
Items with Roman numerals (i., ii, iii, iv etc.) are CONSORT-EHEALTH extensions/clarifications.

As the CONSORT-EHEALTH checklist is still considered in a formative stage, we would ask that you also RATE ON A SCALE OF 1-5 how important/useful you feel each item is FOR THE PURPOSE OF THE CHECKLIST and reporting guideline (optional).

Mandatory reporting items are marked with a red *.
In the textboxes, either copy & paste the relevant sections from your manuscript into this form - please include any quotes from your manuscript in QUOTATION MARKS,
or answer directly by providing additional information not in the manuscript, or elaborating on why the item was not relevant for this study.

YOUR ANSWERS WILL BE PUBLISHED AS A SUPPLEMENTARY FILE TO YOUR PUBLICATION IN JMIR AND ARE CONSIDERED PART OF YOUR PUBLICATION (IF ACCEPTED).
Please fill in these questions diligently. Information will not be copyedited, so please use proper spelling and grammar, use correct capitalization, and avoid abbreviations.

DO NOT FORGET TO SAVE AS PDF _AND_ CLICK THE SUBMIT BUTTON SO YOUR ANSWERS ARE IN OUR DATABASE !!!

Citation Suggestion (if you append the pdf as Appendix we suggest to cite this paper in the caption):
Eysenbach G, CONSORT-EHEALTH Group
CONSORT-EHEALTH: Improving and Standardizing Evaluation Reports of Web-based and Mobile Health Interventions
J Med Internet Res 2011;13(4):e126
URL: http://www.jmir.org/2011/4/e126/
doi: 10.2196/jmir.1923
PMID: 22209829

* Required

Your name *
First Last

Maria Fernandez

Primary Affiliation (short), City, Country *
University of Toronto, Toronto, Canada

Columbia University

Your e-mail address *
abc@gmail.com

mpf2131@columbia.edu

Title of your manuscript *
Provide the (draft) title of your manuscript.

The effects of human behavior on tick exposure: usability and feasibility assessment of The Tick App as an mHealth tool.

Name of your App/Software/Intervention *
If there is a short and a long/alternate name, write the short name first and add the long name in brackets.

The Tick App

Evaluated Version (if any)
e.g. "V1", "Release 2017-03-01", "Version 2.0.27913"

Your answer

Language(s) *

What language is the intervention/app in? If multiple languages are available, separate by comma (e.g. "English, French")

English

URL of your Intervention Website or App

e.g. a direct link to the mobile app on app in appstore (itunes, Google Play), or URL of the website. If the intervention is a DVD or hardware, you can also link to an Amazon page.

https://play.google.com/store/apps/det

URL of an image/screenshot (optional)

Your answer

Accessibility *

Can an enduser access the intervention presently?

- (●) access is free and open
- ( ) access only for special usergroups, not open
- ( ) access is open to everyone, but requires payment/subscription/in-app purchases
- ( ) app/intervention no longer accessible
- ( ) Other:

Primary Medical Indication/Disease/Condition *

e.g. "Stress", "Diabetes", or define the target group in brackets after the condition, e.g. "Autism (Parents of children with)", "Alzheimers (Informal Caregivers of)"

Tick-borne diseases

Primary Outcomes measured in trial *

comma-separated list of primary outcomes reported in the trial

Tick encounters

Secondary/other outcomes

Are there any other outcomes the intervention is expected to affect?

Your answer

Recommended "Dose" *

What do the instructions for users say on how often the app should be used?

- (●) Approximately Daily
- ( ) Approximately Weekly
- ( ) Approximately Monthly
- ( ) Approximately Yearly
- ( ) "as needed"
- ( ) Other:

Approx. Percentage of Users (starters) still using the app as recommended after 3 months *

- (●) unknown / not evaluated
- ( ) 0-10%
- ( ) 11-20%
- ( ) 21-30%
- ( ) 31-40%
- ( ) 41-50%
- ( ) 51-60%
- ( ) 61-70%
- ( ) 71%-80%
- ( ) 81-90%
- ( ) 91-100%
- ( ) Other:

Overall, was the app/intervention effective? *

- ( ) yes: all primary outcomes were significantly better in intervention group vs control
- ( ) partly: SOME primary outcomes were significantly better in intervention group vs control
- ( ) no statistically significant difference between control and intervention
- ( ) potentially harmful: control was significantly better than intervention in one or more outcomes
- ( ) inconclusive: more research is needed
- (•) Other: we did not evaluate an effect on tick encounters

Article Preparation Status/Stage *

At which stage in your article preparation are you currently (at the time you fill in this form)

- ( ) not submitted yet - in early draft status
- ( ) not submitted yet - in late draft status, just before submission
- ( ) submitted to a journal but not reviewed yet
- (•) submitted to a journal and after receiving initial reviewer comments
- ( ) submitted to a journal and accepted, but not published yet
- ( ) published
- ( ) Other:

Journal *

If you already know where you will submit this paper (or if it is already submitted), please provide the journal name (if it is not JMIR, provide the journal name under "other")

- ○ not submitted yet / unclear where I will submit this
- ○ Journal of Medical Internet Research (JMIR)
- ◉ JMIR mHealth and UHealth
- ○ JMIR Serious Games
- ○ JMIR Mental Health
- ○ JMIR Public Health
- ○ JMIR Formative Research
- ○ Other JMIR sister journal
- ○ Other:

Is this a full powered effectiveness trial or a pilot/feasibility trial? *

- ◉ Pilot/feasibility
- ○ Fully powered

Manuscript tracking number *

If this is a JMIR submission, please provide the manuscript tracking number under "other" (The ms tracking number can be found in the submission acknowledgement email, or when you login as author in JMIR. If the paper is already published in JMIR, then the ms tracking number is the four-digit number at the end of the DOI, to be found at the bottom of each published article in JMIR)

- ○ no ms number (yet) / not (yet) submitted to / published in JMIR
- ◉ Other: 14769

TITLE AND ABSTRACT

1a) TITLE: Identification as a randomized trial in the title

1a) Does your paper address CONSORT item 1a? *

I.e does the title contain the phrase "Randomized Controlled Trial"? (if not, explain the reason under "other")

- ○ yes
- ◉ Other: It's not a randomized trial but a usability and feasibility assessment

1a-i) Identify the mode of delivery in the title

Identify the mode of delivery. Preferably use “web-based” and/or “mobile” and/or “electronic game” in the title. Avoid ambiguous terms like “online”, “virtual”, “interactive”. Use “Internet-based” only if Intervention includes non-web-based Internet components (e.g. email), use “computer-based” or “electronic” only if offline products are used. Use “virtual” only in the context of “virtual reality” (3-D worlds). Use “online” only in the context of “online support groups”. Complement or substitute product names with broader terms for the class of products (such as “mobile” or “smart phone” instead of “iphone”), especially if the application runs on different platforms.

	1	2	3	4	5	
subitem not at all important	○	○	○	◉	○	essential

Does your paper address subitem 1a-i? *

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"usability and feasibility assessment of The Tick App as an mHealth mobile

1a-ii) Non-web-based components or important co-interventions in title

Mention non-web-based components or important co-interventions in title, if any (e.g., “with telephone support”).

	1	2	3	4	5	
subitem not at all important	◉	○	○	○	○	essential

Does your paper address subitem 1a-ii?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

There are no non-web-based components.

1a-iii) Primary condition or target group in the title

Mention primary condition or target group in the title, if any (e.g., “for children with Type I Diabetes”) Example: A Web-based and Mobile Intervention with Telephone Support for Children with Type I Diabetes: Randomized Controlled Trial

	1	2	3	4	5	
subitem not at all important	◉	○	○	○	○	essential

Does your paper address subitem 1a-iii? *

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We are not targeting a specific demographic group.

1b) ABSTRACT: Structured summary of trial design, methods, results, and conclusions

NPT extension: Description of experimental treatment, comparator, care providers, centers, and blinding status.

1b-i) Key features/functionalities/components of the intervention and comparator in the METHODS section of the ABSTRACT

Mention key features/functionalities/components of the intervention and comparator in the abstract. If possible, also mention theories and principles used for designing the site. Keep in mind the needs of systematic reviewers and indexers by including important synonyms. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	○	○	○	◉	○	essential

Does your paper address subitem 1b-i? *

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The Tick App was designed as a survey tool to collect data on human behaviors and movements associated with tick exposure, while engaging users in tick identification and reporting. It consists of an enrollment survey to identify general risk factors; daily surveys to collect data on human activities and tick encounters (“Tick Diaries”); a survey to enter the details of tick encounters coupled with tick identification services provided by the research team (“Report a Tick”); and educational material."

1b-ii) Level of human involvement in the METHODS section of the ABSTRACT

Clarify the level of human involvement in the abstract, e.g., use phrases like “fully automated” vs. “therapist/nurse/care provider/physician-assisted” (mention number and expertise of providers involved, if any). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	○	○	◉	○	○	essential

Does your paper address subitem 1b-ii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The app includes identification services provided by trained personnel in our research team: "...a survey to enter the details of tick encounters coupled with tick identification services provided by the research team (“Report a

1b-iii) Open vs. closed, web-based (self-assessment) vs. face-to-face assessments in the METHODS section of the ABSTRACT

Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic or a closed online user group (closed usergroup trial), and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment). Clearly say if outcomes were self-assessed through questionnaires (as common in web-based trials). Note: In traditional offline trials, an open trial (open-label trial) is a type of clinical trial in which both the researchers and participants know which treatment is being administered. To avoid confusion, use “blinded” or “unblinded” to indicated the level of blinding instead of “open”, as “open” in web-based trials usually refers to “open access” (i.e. participants can self-enrol). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	○	◉	○	○	○	essential

Does your paper address subitem 1b-iii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

As part of this manuscript, we evaluated the recruitment strategy: "Using quantitative and qualitative methods, we evaluated the enrollment strategy (passive vs. active)..."

1b-iv) RESULTS section in abstract must contain use data

Report number of participants enrolled/assessed in each group, the use/uptake of the intervention (e.g., attrition/adherence metrics, use over time, number of logins etc.), in addition to primary/secondary outcomes. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	○	○	○	◉	○	essential

Does your paper address subitem 1b-iv?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Between May and September 2018, 1468 adult users enrolled in the app. Users were equally represented across genders and evenly distributed across age groups."
"Recurring users (49.2%) had a similar demographic profile to all users but participated in outdoor activities more frequently (80.5%, P < 0.01)."

1b-v) CONCLUSIONS/DISCUSSION in abstract for negative trials

Conclusions/Discussions in abstract for negative trials: Discuss the primary outcome - if the trial is negative (primary outcome not changed), and the intervention was not used, discuss whether negative results are attributable to lack of uptake and discuss reasons. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	◉	○	○	○	○	essential

Does your paper address subitem 1b-v?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

It is not a negative trial

INTRODUCTION

2a) In INTRODUCTION: Scientific background and explanation of rationale

2a-i) Problem and the type of system/solution

Describe the problem and the type of system/solution that is object of the study: intended as stand-alone intervention vs. incorporated in broader health care program? Intended for a particular patient population? Goals of the intervention, e.g., being more cost-effective to other interventions, replace or complement other solutions? (Note: Details about the intervention are provided in “Methods” under 5)

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 2a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"While apps have been widely implemented in chronic diseases and psychology [4], their potential use in the research of vector-borne diseases has not yet been fully exploited. Most mHealth apps applied to vector-borne disease research have targeted mosquito-borne diseases [6–9] and only a few have targeted tick vectors."
"The links between human activity, mobility patterns, and tick exposure, however, have not been well documented in Lyme disease endemic areas of the United States, in part due to methodological limitations."
"To address this issue, we developed a smartphone application, The Tick App, to i) serve as a research tool to better understand human behaviors affecting tick exposure; and ii) engage the general public in active tick prevention and reporting in different regions of the United States."

2a-ii) Scientific background, rationale: What is known about the (type of) system

Scientific background, rationale: What is known about the (type of) system that is the object of the study (be sure to discuss the use of similar systems for other conditions/diagnoses, if appropiate), motivation for the study, i.e. what are the reasons for and what is the context for this specific study, from which stakeholder viewpoint is the study performed, potential impact of findings [2]. Briefly justify the choice of the comparator.

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 2a-ii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Lyme disease is the most commonly reported vector-borne disease in the United States, with 300,000 cases estimated per year [12,13], the majority of which are reported from the northeastern and north-central states [12]. In these areas, Lyme disease risk is determined by human exposure to infected Ixodes scapularis ticks, which can occur either peridomestically or within natural areas [13–18]. The seasonality of human cases mirrors that of I. scapularis nymphal activity; nymphs are abundantly active May through early August, peaking in early-mid summer [12]. The association between human cases and nymphal activity can be in part attributed to the small size of nymphal ticks compared to adults, resulting in prolonged or undetected attachment. Human exposure to ticks depends on the density of infected ticks, but this association is strongly modified by local conditions, including human behavior [19,20]. Human behaviors that have been shown to influence tick exposure include the frequency and type of outdoor activities and adaptive responses following interactions with tick habitat [13,21,22]. In turn, prior exposure to ticks may trigger multiple behavioral responses to reduce exposure, such as avoidance of tick habitat and the use of personal protection measures [16]."

2b) In INTRODUCTION: Specific objectives or hypotheses

Does your paper address CONSORT subitem 2b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Our overall aim was to assess its usability and feasibility, and identify what fraction of the population engaged in The Tick App to better interpret the external validity of the app-derived data."

METHODS

3a) Description of trial design (such as parallel, factorial) including allocation ratio

Does your paper address CONSORT subitem 3a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We are not presenting a trial, but we present the roadmap of the mhealth tool design: " The Tick App was developed from a pre-prototype named “GeoQuestion” designed and evaluated during the spring and summer of 2017 (Phase 1: pre-prototype [27]) (Table 1). Based on this experience, we developed The Tick App (Phase 2: prototype [27]) (Multimedia appendix 1: Phase 1 and 2: Pre-prototype and prototype design). To align the design of the app with potential users’ characteristics, we framed the activities based on a roadmap for creating mHealth applications [28] (Table 1)."
See Table 1 for more information.

3b) Important changes to methods after trial commencement (such as eligibility criteria), with reasons

Does your paper address CONSORT subitem 3b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

There were no changes in the period analyzed.

3b-i) Bug fixes, Downtimes, Content Changes

Bug fixes, Downtimes, Content Changes: ehealth systems are often dynamic systems. A description of changes to methods therefore also includes important changes made on the intervention or comparator during the trial (e.g., major bug fixes or changes in the functionality or content) (5-iii) and other “unexpected events” that may have influenced study design such as staff changes, system failures/downtimes, etc. [2].

	1	2	3	4	5	
subitem not at all important	○	○	○	◉	○	essential

Does your paper address subitem 3b-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"After testing the prototype extensively, the app was available for download in May 2018 (Multimedia appendix 1: Phase 1 and 2: Pre-prototype and prototype design)."
See Multimedia appendix 1 for more information.

4a) Eligibility criteria for participants

Does your paper address CONSORT subitem 4a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The Tick App was available to any adult over 18 years old living in the United States, owning a smartphone and familiar with software applications."

4a-i) Computer / Internet literacy

Computer / Internet literacy is often an implicit “de facto” eligibility criterion - this should be explicitly clarified.

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 4a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The Tick App was available to any adult over 18 years old living in the United States, owning a smartphone and familiar with software applications."

4a-ii) Open vs. closed, web-based vs. face-to-face assessments:

Open vs. closed, web-based vs. face-to-face assessments: Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic, and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment), i.e., to what degree got the study team to know the participant. In online-only trials, clarify if participants were quasi-anonymous and whether having multiple identities was possible or whether technical or logistical measures (e.g., cookies, email confirmation, phone calls) were used to detect/prevent these.

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 4a-ii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Active and passive recruitment of users began with a special focus on the Midwest and Northeast, particularly in Wisconsin and southern New York state, respectively. At these locations, passive recruitment occurred by media coverage. Active recruitment was undertaken during house visits coupled with ongoing field research involving tick sampling in yards at selected study sites (Eau Claire, WI and Staten Island, NY). During these visits, the researchers explained the objective of the app and invited residents to participate as users. Recruitment was conducted during June and July 2018."

4a-iii) Information giving during recruitment

Information given during recruitment. Specify how participants were briefed for recruitment and in the informed consent procedures (e.g., publish the informed consent documentation as appendix, see also item X26), as this information may have an effect on user self-selection, user expectation and may also bias results.

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 4a-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"During these visits, the researchers explained the objective of the app and invited residents to participate as users (Multimedia appendix 3: Informed consent)."

4b) Settings and locations where the data were collected

Does your paper address CONSORT subitem 4b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The Tick App was available to any adult over 18 years old living in the United States, owning a smartphone and familiar with software applications. Active and passive recruitment of users began with a special focus on the Midwest and Northeast, particularly in Wisconsin and southern New York state, respectively."
"Active recruitment was undertaken during house visits coupled with ongoing field research involving tick sampling in yards at selected study sites (Eau Claire, WI and Staten Island, NY)."

4b-i) Report if outcomes were (self-)assessed through online questionnaires

Clearly report if outcomes were (self-)assessed through online questionnaires (as common in web-based trials) or otherwise.

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 4b-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The “Tick Diary” was a daily retrospective survey that collected information on the user’s daily outdoor activities, tick encounters on themselves, their pets or members of their household, and any personal protection measures used to prevent tick bites."

4b-ii) Report how institutional affiliations are displayed

Report how institutional affiliations are displayed to potential participants [on ehealth media], as affiliations with prestigious hospitals or universities may affect volunteer rates, use, and reactions with regards to an intervention.(Not a required item – describe only if this may bias results)

	1	2	3	4	5	
subitem not at all important	○	◉	○	○	○	essential

Does your paper address subitem 4b-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This information is provided through the app, although we did not consider it as a important source of bias.

5) The interventions for each group with sufficient details to allow replication, including how and when they were actually administered

5-i) Mention names, credential, affiliations of the developers, sponsors, and owners

Mention names, credential, affiliations of the developers, sponsors, and owners [6] (if authors/evaluators are owners or developer of the software, this needs to be declared in a “Conflict of interest” section or mentioned elsewhere in the manuscript).

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 5-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Coding of The Tick App was led by the Center for Health Enhancement System Studies (CHESS) at the University of Wisconsin-Madison..."

5-ii) Describe the history/development process

Describe the history/development process of the application and previous formative evaluations (e.g., focus groups, usability testing), as these will have an impact on adoption/use rates and help with interpreting results.

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 5-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The Tick App was developed from a pre-prototype named “GeoQuestion” designed and evaluated during the spring and summer of 2017 (Phase 1: pre-prototype [27]) (Table 1). Based on this experience, we developed The Tick App (Phase 2: prototype [27]) (Multimedia appendix 1: Phase 1 and 2: Pre-prototype and prototype design)."
"After testing the prototype extensively, the app was available for download in May 2018 (Multimedia appendix 1: Phase 1 and 2: Pre-prototype and prototype design)."

5-iii) Revisions and updating

Revisions and updating. Clearly mention the date and/or version number of the application/intervention (and comparator, if applicable) evaluated, or describe whether the intervention underwent major changes during the evaluation process, or whether the development and/or content was “frozen” during the trial. Describe dynamic components such as news feeds or changing content which may have an impact on the replicability of the intervention (for unexpected events see item 3b).

	1	2	3	4	5	
subitem not at all important	◉	○	○	○	○	essential

Does your paper address subitem 5-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The app did not change during the study period analyzed.

5-iv) Quality assurance methods

Provide information on quality assurance methods to ensure accuracy and quality of information provided [1], if applicable.

	1	2	3	4	5	
subitem not at all important	○	○	◉	○	○	essential

Does your paper address subitem 5-iv?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"We asked all users to submit at least 15 daily surveys in order to gain representation of the typical activity patterns for each individual, assess the variability between users, and calculate an accurate measure of the risk of tick encounter."
"Users were also asked to identify the tick from photographs that were provided in the app, including photos of female and male adult Dermacentor variabilis, Amblyomma americanum and I. scapularis, as well as an I. scapularis nymph. If users sent a picture of the tick via the online survey, trained members of our research group with experience on taxonomic identification of ticks, identified the tick to the species and life stage visually from the picture and provided this information to the user via e-mail."

5-v) Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used

Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used. Replicability (i.e., other researchers should in principle be able to replicate the study) is a hallmark of scientific reporting.

	1	2	3	4	5	
subitem not at all important	○	○	◉	○	○	essential

Does your paper address subitem 5-v?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Figure 1. Workflow and Homepage of The Tick App. We indicate the time frequency for the surveys (“Tick Diary” and “Report a Tick”) and the type of content of the remaining functionalities displayed on the homepage."
See figure 1

5-vi) Digital preservation

Digital preservation: Provide the URL of the application, but as the intervention is likely to change or disappear over the course of the years; also make sure the intervention is archived (Internet Archive, webcitation.org, and/or publishing the source code or screenshots/videos alongside the article). As pages behind login screens cannot be archived, consider creating demo pages which are accessible without login.

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 5-vi?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"24. Fernandez MP, Bron GM, Tsao JI, Bartholomay LC, Paskewitz SM, Diuk-Wasser MA. The Tick App. [accessed Apr 2019] Available at: https://thetickapp.org/ (Archived at http://www.webcitation.org/77vQOLPyS on 4/26/2019)"

5-vii) Access

Access: Describe how participants accessed the application, in what setting/context, if they had to pay (or were paid) or not, whether they had to be a member of specific group. If known, describe how participants obtained “access to the platform and Internet” [1]. To ensure access for editors/reviewers/readers, consider to provide a “backdoor” login account or demo mode for reviewers/readers to explore the application (also important for archiving purposes, see vi).

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 5-vii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The app is available for Android and iOS operating systems and can be downloaded from smartphone app stores at no cost (at the time of this publication)."

5-viii) Mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework

Describe mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework [6] used to design them (instructional strategy [1], behaviour change techniques, persuasive features, etc., see e.g., [7, 8] for terminology). This includes an in-depth description of the content (including where it is coming from and who developed it) [1]," whether [and how] it is tailored to individual circumstances and allows users to track their progress and receive feedback" [6]. This also includes a description of communication delivery channels and – if computer-mediated communication is a component – whether communication was synchronous or asynchronous [6]. It also includes information on presentation strategies [1], including page design principles, average amount of text on pages, presence of hyperlinks to other resources, etc. [1].

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 5-viii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"After users downloaded and installed The Tick App, a brief explanation of the study and electronic informed consent were displayed (Figure 1). The informed consent had to be accepted before proceeding to create a user account. The Tick App functionalities included an enrollment survey which was modified from the pilot app. This survey was designed to take less than 10 minutes to fill out and aimed to collect the users' demographic data, house characteristics, past experiences with ticks and tick-borne diseases, typical use of personal prevention methods and household interventions to reduce tick encounters, and general frequency of outdoor and peridomestic activities during the spring and summer. This survey was completed only once by the user before accessing the homepage."
"On the homepage, several functionalities were available at any time of the day. In contrast, the "Tick Diary" was only available once a day (from 5 pm to 10 am CST) (Figure 1)."

5-ix) Describe use parameters

Describe use parameters (e.g., intended “doses” and optimal timing for use). Clarify what instructions or recommendations were given to the user, e.g., regarding timing, frequency, heaviness of use, if any, or was the intervention used ad libitum.

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 5-ix?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"We asked all users to submit at least 15 daily surveys in order to gain representation of the typical activity patterns for each individual, assess the variability between users, and calculate an accurate measure of the risk of tick encounter."

5-x) Clarify the level of human involvement

Clarify the level of human involvement (care providers or health professionals, also technical assistance) in the e-intervention or as co-intervention (detail number and expertise of professionals involved, if any, as well as “type of assistance offered, the timing and frequency of the support, how it is initiated, and the medium by which the assistance is delivered”. It may be necessary to distinguish between the level of human involvement required for the trial, and the level of human involvement required for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	○	○	○	◉	○	essential

Does your paper address subitem 5-x?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"If users sent a picture of the tick via the online survey, trained members of our research group with experience on taxonomic identification of ticks, identified the tick to the species and life stage visually from the picture and provided this information to the user via e-mail."

5-xi) Report any prompts/reminders used

Report any prompts/reminders used: Clarify if there were prompts (letters, emails, phone calls, SMS) to use the application, what triggered them, frequency etc. It may be necessary to distinguish between the level of prompts/reminders required for the trial, and the level of prompts/reminders for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 5-xi? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"A pop-up notification showed up every day at 5 pm CST until 15 “Tick Diaries” were completed."

5-xii) Describe any co-interventions (incl. training/support)

Describe any co-interventions (incl. training/support): Clearly state any interventions that are provided in addition to the targeted eHealth intervention, as ehealth intervention may not be designed as stand-alone intervention. This includes training sessions and support [1]. It may be necessary to distinguish between the level of training required for the trial, and the level of training for a routine application outside of a RCT setting (discuss under item 21 – generalizability.

	1	2	3	4	5	
subitem not at all important	◉	○	○	○	○	essential

Does your paper address subitem 5-xii? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We did not conduct any training or any other co-intervention.

6a) Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed

Does your paper address CONSORT subitem 6a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"We evaluated the usability of The Tick App from April 20th to September 3rd of 2018 (Phase 3a [28]) (Table 1). We assessed our dissemination and recruitment strategies, the profile of The Tick App users with respect to their demographics, risk factors associated to tick exposure risk and geographical distribution. We also evaluated the longitudinal use of The Tick App and how users engaged with different app functionalities."

6a-i) Online questionnaires: describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed

If outcomes were obtained through online questionnaires, describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed [9].

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 6a-i?

Copy and paste relevant sections from manuscript text

See Multimedia appendix 8.

6a-ii) Describe whether and how “use” (including intensity of use/dosage) was defined/measured/monitored

Describe whether and how “use” (including intensity of use/dosage) was defined/measured/monitored (logins, logfile analysis, etc.). Use/adoption metrics are important process outcomes that should be reported in any ehealth trial.

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 6a-ii?

Copy and paste relevant sections from manuscript text

"The data on the longitudinal use of the app was derived from the “Tick Diary”, “Tick Report” and screen views. Independent screen views (as opposed to continuous screen views) were considered as screen views every five-minutes intervals, assuming that screen views happening within four minutes or less represented a single interaction with The Tick App."

6a-iii) Describe whether, how, and when qualitative feedback from participants was obtained

Describe whether, how, and when qualitative feedback from participants was obtained (e.g., through emails, feedback forms, interviews, focus groups).

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 6a-iii?

Copy and paste relevant sections from manuscript text

"In September 2018, we organized focus groups on Staten Island, NY and in Eau Claire, WI, by extending personal invitations to local users of The Tick App, with the goal of gathering feedback on the app after its implementation during the study period. In total, 14 users participated in the focus groups. The guiding questions used in the pre- and post-implementation focus groups can be found in the Multimedia Appendix 4: Guiding questions for focus groups conducted prior and after The Tick App implementation."

6b) Any changes to trial outcomes after the trial commenced, with reasons

Does your paper address CONSORT subitem 6b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No changes during the study period.

7a) How sample size was determined

NPT: When applicable, details of whether and how the clustering by care provides or centers was addressed

7a-i) Describe whether and how expected attrition was taken into account when calculating the sample size

Describe whether and how expected attrition was taken into account when calculating the sample size.

	1	2	3	4	5	
subitem not at all important	◉	○	○	○	○	essential

Does your paper address subitem 7a-i?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This paper was designed to test the uptake of the app given our strategy and not to test an intervention. Thus, no sample sizes were estimated a priori.

7b) When applicable, explanation of any interim analyses and stopping guidelines

Does your paper address CONSORT subitem 7b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

8a) Method used to generate the random allocation sequence

NPT: When applicable, how care providers were allocated to each trial group

Does your paper address CONSORT subitem 8a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

8b) Type of randomisation; details of any restriction (such as blocking and block size)

Does your paper address CONSORT subitem 8b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

9) Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned

Does your paper address CONSORT subitem 9? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

10) Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions

Does your paper address CONSORT subitem 10? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

11a) If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how

NPT: Whether or not administering co-interventions were blinded to group assignment

11a-i) Specify who was blinded, and who wasn't

Specify who was blinded, and who wasn't. Usually, in web-based trials it is not possible to blind the participants [1, 3] (this should be clearly acknowledged), but it may be possible to blind outcome assessors, those doing data analysis or those administering co-interventions (if any).

	1	2	3	4	5	
subitem not at all important	◉	○	○	○	○	essential

Does your paper address subitem 11a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

It is not a trial, does not apply

11a-ii) Discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator"

Informed consent procedures (4a-ii) can create biases and certain expectations - discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator".

	1	2	3	4	5	
subitem not at all important	◉	○	○	○	○	essential

Does your paper address subitem 11a-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We did not assign control and treatment groups.

11b) If relevant, description of the similarity of interventions

(this item is usually not relevant for ehealth trials as it refers to similarity of a placebo or sham intervention to a active medication/intervention)

Does your paper address CONSORT subitem 11b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

12a) Statistical methods used to compare groups for primary and secondary outcomes

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

Does your paper address CONSORT subitem 12a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"To summarize the distribution of numeric variables (e.g., number of users), we reported the interquartile range (IQR) as a measure of variability, because numeric variables deviated from a normal distribution [36]. For descriptive bivariate analyses of categorical variables, we used χ2 tests and non-parametric Kruskal-Wallis tests when comparing categorical and continuous variables (e.g., number of users vs. region). We conducted multivariate analyses using generalized linear models (GLM) [37] and generalized linear mixed models (GLMM) when accounting for random effects (e.g., regional effects in the number of users per county) [38]. In the case of binary response variables, we used logistic regression models with logit as the link function and the relative risk expressed as Odds Ratios (OR). When the response variable was numeric (count data), we used negative binomial models with log as the link function and the relative risk expressed as incidence rate ratios (IRR). Negative binomial regression was preferred to Poisson regression given the overdispersed distributions [39]; both models were compared by log-likelihood ratio tests. All analyses were implemented in Stata 14.2 [40] and R 3.2.3 (lme4 and car packages) [41]."

12a-i) Imputation techniques to deal with attrition / missing values

Imputation techniques to deal with attrition / missing values: Not all participants will use the intervention/comparator as intended and attrition is typically high in ehealth trials. Specify how participants who did not use the application or dropped out from the trial were treated in the statistical analysis (a complete case analysis is strongly discouraged, and simple imputation techniques such as LOCF may also be problematic [4]).

	1	2	3	4	5	
subitem not at all important	◉	○	○	○	○	essential

Does your paper address subitem 12a-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We did not used imputation techniques. Missing data were not considered.

12b) Methods for additional analyses, such as subgroup analyses and adjusted analyses

Does your paper address CONSORT subitem 12b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"We used multiple correspondence analysis (MCA) as an exploratory analysis of the association among different user characteristics [30]. The MCA is the equivalent of principal component analysis but for categorical variables; it reduces the dimensionality of the covariance matrix into linear combinations of the original variables (dimensions) and decomposes the variance (inertia) of the sample [30]. The different dimensions can be assessed graphically using biplots, which allow a better understanding of how the variables are interrelated and their relative contribution to the score [31]. We used a first MCA including all users' characteristics (age, gender, owning a pet, type of house, frequent outdoor recreation, outdoor work or volunteer job and frequent peridomestic activity) to assess the association between the variables. We conducted a second MCA, including only owning a pet, frequent outdoor recreation, outdoor work or volunteer job and frequent peridomestic activity to construct a summary index of the frequency of outdoor activities (i.e., the outdoor activity index). Because the first dimension captures most of the inertia, the coordinate (value estimated for each individual based on their characteristics and which represent the contribution to the inertia in the study population) can be used as a quantitative index [32] (Multimedia Appendix 5: Results of the multiple

X26) REB/IRB Approval and Ethical Considerations [recommended as subheading under "Methods"] (not a CONSORT item)

X26-i) Comment on ethics committee approval

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem X26-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"All activities complied with the ethical principles included in the Declaration of Helsinki as reviewed by Institutional Review Boards of Columbia University (IRB protocol: AAA3750-M00Y01) and the University of Wisconsin - Madison (IRB protocol: 2018-84)."

x26-ii) Outline informed consent procedures

Outline informed consent procedures e.g., if consent was obtained offline or online (how? Checkbox, etc.?), and what information was provided (see 4a-ii). See [6] for some items to be included in informed consent documents.

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem X26-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"After users downloaded and installed The Tick App, a brief explanation of the study and electronic informed consent were displayed (Figure 1). The informed consent had to be accepted before proceeding to create a user account."
See Multimedia appendix 3.

X26-iii) Safety and security procedures

Safety and security procedures, incl. privacy considerations, and any steps taken to reduce the likelihood or detection of harm (e.g., education and training, availability of a hotline)

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem X26-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

See Multimedia appendix 2.

RESULTS

13a) For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome

NPT: The number of care providers or centers performing the intervention in each group and the number of patients treated by each care provider in each center

Does your paper address CONSORT subitem 13a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A.

We did not assigned control and treatment groups.

13b) For each group, losses and exclusions after randomisation, together with reasons

Does your paper address CONSORT subitem 13b? (NOTE: Preferably, this is shown in a CONSORT flow diagram) *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A.

We did not assigned control and treatment groups.

13b-i) Attrition diagram

Strongly recommended: An attrition diagram (e.g., proportion of participants still logging in or using the intervention/comparator in each group plotted over time, similar to a survival curve) or other figures or tables demonstrating usage/dose/engagement.

	1	2	3	4	5	
subitem not at all important	○	○	◉	○	○	essential

Does your paper address subitem 13b-i?

Copy and paste relevant sections from the manuscript or cite the figure number if applicable (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Attrition can be visualized in Figure 5 that shows the longitudinal use of the app.
"Figure 5. Number of active users per day between May and September 2018, by region."

14a) Dates defining the periods of recruitment and follow-up

Does your paper address CONSORT subitem 14a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"We evaluated the usability of The Tick App from April 20th to September 3rd of 2018 (Phase 3a [28]) (Table 1)."

14a-i) Indicate if critical “secular events” fell into the study period

Indicate if critical “secular events” fell into the study period, e.g., significant changes in Internet resources available or “changes in computer hardware or Internet delivery resources”

	1	2	3	4	5	
subitem not at all important	◉	○	○	○	○	essential

Does your paper address subitem 14a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We did not conduct any secular events

14b) Why the trial ended or was stopped (early)

Does your paper address CONSORT subitem 14b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We conducted the study during the Ixodes scapularis nymphal and larval activity periods when people are more at risk.
"The seasonality of human cases mirrors that of I. scapularis nymphal activity; nymphs are abundantly active May through early August, peaking in early-mid summer [12]."

15) A table showing baseline demographic and clinical characteristics for each group

NPT: When applicable, a description of care providers (case volume, qualification, expertise, etc.) and centers (volume) in each group

Does your paper address CONSORT subitem 15? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

See table 2

15-i) Report demographics associated with digital divide issues

In ehealth trials it is particularly important to report demographics associated with digital divide issues, such as age, education, gender, social-economic status, computer/Internet/ehealth literacy of the participants, if known.

	1	2	3	4	5	
subitem not at all important	◉	○	○	○	○	essential

Does your paper address subitem 15-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We do not have sufficient data to address this item. We assume all app users had enough mobile app literacy.

16) For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups

16-i) Report multiple “denominators” and provide definitions

Report multiple “denominators” and provide definitions: Report N’s (and effect sizes) “across a range of study participation [and use] thresholds” [1], e.g., N exposed, N consented, N used more than x times, N used more than y weeks, N participants “used” the intervention/comparator at specific pre-defined time points of interest (in absolute and relative numbers per group). Always clearly define “use” of the intervention.

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 16-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Between April 20th and September 3rd 2018, 1468 (86.1%) users completed the enrollment survey after downloading the app (Figure 2)"
"After completing the enrollment survey, 49.2% (N=722) of users interacted with The Tick App thereafter."
"At least one “Tick Diary” was completed by 50.7% (N=367) of the recurring users (N=724), a quarter of the total users enrolled in the app."
"Similar to the “Tick Diary”, approximately half of recurring users (52.6%, N=380) and a quarter (26.0%, N=381) of the total number of enrolled users, submitted at least one “Tick Report”. However, they were not always the same recurring users completing both surveys; only 42.5% (N=156) of the users that completed at least one “Tick Diary” also submitted a tick report using the “Report a Tick” functionality."

16-ii) Primary analysis should be intent-to-treat

Primary analysis should be intent-to-treat, secondary analyses could include comparing only “users”, with the appropriate caveats that this is no longer a randomized sample (see 18-i).

	1	2	3	4	5	
subitem not at all important	◉	○	○	○	○	essential

Does your paper address subitem 16-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is not an intervention trial.

17a) For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)

Does your paper address CONSORT subitem 17a? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We compared recurring and non-recurring users and their geographic

17a-i) Presentation of process outcomes such as metrics of use and intensity of use

In addition to primary/secondary (clinical) outcomes, the presentation of process outcomes such as metrics of use and intensity of use (dose, exposure) and their operational definitions is critical. This does not only refer to metrics of attrition (13-b) (often a binary variable), but also to more continuous exposure metrics such as “average session length”. These must be accompanied by a technical description how a metric like a “session” is defined (e.g., timeout after idle time) [1] (report under item 6a).

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 17a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The demographic profile of recurring users compared to non-recurring users did not vary with gender or age, but users were more likely to use the app after completing the baseline survey if they worked or volunteered outdoors and if they did frequent outdoor recreation, although no effect was observed if they did frequent peridomestic activities (Multimedia Appendix 6: The recurring users' profile.). A higher proportion of recurring users reported having had a previous tick bite compared to non-recurring users (37.2% vs. 25.7%, $\chi 2$ test, d.f. = 1, $P < 0.001$), but no differences were observed in the proportion of self-reported previous diagnosis of a tick-borne disease (13.2% vs. 10.5%, $\chi 2$ test, d.f. = 1, $P = 0.1$). Similarly, the number of follow-up days per user increased only with the outdoor activity index (IRR = 1.2, CI95 = 1.1 – 1.4, $P < 0.01$), after adjusting for age, gender and the region, indicating that users were more likely to use the app if they did outdoor activities frequently." "A higher proportion of users in the Northeast downloaded The Tick App on iOS vs. Android, compared to the Midwest (80.9%, N=392 and 64.8%, N=537, respectively; $\chi 2$ test, d.f.=2, $P <0.001$). While the demographic profile was similar across regions, the outdoor activity index differed (Kruskal-Wallis, d.f. = 3, $P < 0.001$) and was lower in the Northeast compared to the other regions (Figure 3b). Lastly, the number of users per county was higher in those with a larger population size and high Lyme disease incidence or with low incidence but a one-fold increase in the number of reported cases in the previous five years (2013–2017), after adjusting for regional random effects (Table 3, Figure 4b) "

17b) For binary outcomes, presentation of both absolute and relative effect sizes is recommended

Does your paper address CONSORT subitem 17b? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A.

18) Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory

Does your paper address CONSORT subitem 18? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Recruitment during household visits coupled with peridomestic tick sampling produced a two-fold increase in enrollment on the same day of the visit and the following day, after accounting for weekend and media coverage effects (IRR = 1.2, CI95 = 2.0 – 2.4, P < 0.001). Media coverage of the app also increased users' enrollment by two-fold on the same day and the day after the coverage (IRR = 2.0, CI95 = 1.8 – 2.2, P < 0.001) (Figure 2)."
"he exploratory MCA, which accounted for 76.2% of the total variability observed within the first two dimensions, showed that users reporting frequent outdoor recreational activities were also more frequently doing peridomestic activities at least once a week and working or volunteering outdoors (Figure 3a, Dimension 1), although the latter was slightly more associated with males than females (Figure 3a, Dimension 2). These outdoor enthusiasts were also more associated with owning a pet and with living in a house with a yard (Figure 3a). Younger adults were associated with living in apartments and less often involved in outdoor activities in general, although they were underrepresented in the total number of users (Figure 3a, Table 2). The Dimension 2 of the MCA separated users by their demographic characteristics (age and gender) but it only accounted for 4.3% of the variability indicating that these variables did not contributed significantly to the differences observed among users. The outdoor activity index derived from the second MCA which included only the variables that were associated in the first Dimension of the previous MCA, accounted for 83.6% of the total variability (Multimedia Appendix 5: Results of the multiple correspondence analysis.). This index was significantly associated with a tick encounter in the previous winter or fall (Logistic regression, OR = 2.2, CI95 = 1.9 – 2.6, P < 0.001), but not with a previous diagnosis of a tick-borne disease (Logistic regression, OR = 1.16, CI95 = 0.98 – 1.38, P = 0.07) after adjusting for age and gender. One-third of users reported having a tick encounter the previous fall or winter when adult ticks are active, and half of the users reported finding a tick on their pet, while the percentage of users reporting a previous tick-borne diagnosis was comparatively lower (11.8%) (Table 2). Nonetheless, the self-reported cases of Lyme disease in the previous year (2.1% of the users) was still considerably higher than the percentage of confirmed cases in 2017 within the total population from the counties where the majority of users live (median = 0.06%, IQR = 0.02% – 0.10%)."

18-i) Subgroup analysis of comparing only users

A subgroup analysis of comparing only users is not uncommon in ehealth trials, but if done, it must be stressed that this is a self-selected sample and no longer an unbiased sample from a randomized trial (see 16-iii).

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 18-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is a self-selected sample and the main goal of the paper is to assess who is using the app.
"These results indicate that The Tick App users are biased towards those with a previous self-reported diagnosis with a tick-borne disease rather than towards those with previous self-reported tick exposure."

19) All important harms or unintended effects in each group

(for specific guidance see CONSORT for harms)

Does your paper address CONSORT subitem 19? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

It is included in the consent form. See Multimedia appendix 3

19-i) Include privacy breaches, technical problems

Include privacy breaches, technical problems. This does not only include physical “harm” to participants, but also incidents such as perceived or real privacy breaches [1], technical problems, and other unexpected/unintended incidents. “Unintended effects” also includes unintended positive effects [2].

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 19-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

It is included in the consent form. See Multimedia appendix 3.

19-ii) Include qualitative feedback from participants or observations from staff/researchers

Include qualitative feedback from participants or observations from staff/researchers, if available, on strengths and shortcomings of the application, especially if they point to unintended/unexpected effects or uses. This includes (if available) reasons for why people did or did not use the application as intended by the developers.

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 19-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"We identified four major themes from the feedback provided by users at the end of the study period: i) effective communication; ii) content; iii) operability and iv) incentives. Effective communication referred to our ability to effectively communicate the goals of the study and the intended use of the app. We found that some users were confused about completing the “Tick Diaries” and thought they only had to complete one when they found a tick, even though we requested 15 consecutive “Tick Diaries” regardless of tick encounter. The main reasons why we failed to communicate effectively appeared to be the name of the functionality (i.e., “Tick Diaries” included the word Tick and that was misleading) and the insufficient explanation before accessing the homepage of the app. Although this information was included in the Help functionality, it was rarely accessed by users. Users participating in the focus groups agreed that the educational content was complete, but some mentioned some difficulties in navigating the app to find some of the materials they were most interested in (for example, how to remove a tick). They mentioned greater interest in practical resources than in general knowledge about ticks and tick-borne diseases. Regarding operability, users mentioned that it was easy to navigate and access although some issues about content organization were mentioned. In general, The Tick App operability matched the skills of the users and did not require special training. Lastly, as in the pre-operationalization feedback, users mentioned that they would like to access more local data regarding the risk of tick encounters, and mentioned mapping reported ticks in their neighborhood as

DISCUSSION

22) Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence

NPT: In addition, take into account the choice of the comparator, lack of or partial blinding, and unequal expertise of care providers or centers in each group

22-i) Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use)

Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use).

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem 22-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The Tick App users were equally represented across genders and evenly distributed across age groups, most users owned a pet, did frequent outdoor activities (recreational and/or peridomestic) and lived in the Midwest and Northeast regions in the United States, more specifically in Wisconsin, southern New York and New Jersey from high-incidence counties for Lyme disease or with cases recently increasing. Half of the users were recurring users who participated in outdoor activities more frequently."

22-ii) Highlight unanswered new questions, suggest future research

Highlight unanswered new questions, suggest future research.

	1	2	3	4	5	
subitem not at all important	○	○	○	◉	○	essential

Does your paper address subitem 22-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

". The Tick App also offers the opportunity to explore interventions oriented to reduce the risk of tick-borne diseases by increasing self-awareness and encouraging the use of protective measures at specific points in time [10,23,60]. Understanding who, how and when people are using The Tick App would help us tailor the content of an intervention to achieve a greater effect. Lastly, there is a need to continually evaluate and revise the app based on what users are willing to do and what they can expect in return, while meeting the data requirements for the research on the behavioral risk factors of human-tick encounters."

20) Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses

20-i) Typical limitations in ehealth trials

Typical limitations in ehealth trials: Participants in ehealth trials are rarely blinded. Ehealth trials often look at a multiplicity of outcomes, increasing risk for a Type I error. Discuss biases due to non-use of the intervention/usability issues, biases through informed consent procedures, unexpected events.

	1	2	3	4	5	
subitem not at all important	○	○	○	◉	○	essential

Does your paper address subitem 20-i? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Lyme disease cases in the previous year was higher compared to the general population in the counties where the users lived. These results indicate that The Tick App users are biased towards those with a previous self-reported diagnosis with a tick-borne disease rather than towards those with previous self-reported tick exposure. However, self-reported Lyme disease diagnosis might be higher than reported and estimated cases [54], and previous tick encounters will depend on the user's frequency of checking for ticks after being outdoors, and their ability to detect and identify a tick."

21) Generalisability (external validity, applicability) of the trial findings

NPT: External validity of the trial findings according to the intervention, comparators, patients, and care providers or centers involved in the trial

21-i) Generalizability to other populations

Generalizability to other populations: In particular, discuss generalizability to a general Internet population, outside of a RCT setting, and general patient population, including applicability of the study results for other organizations

	1	2	3	4	5	
subitem not at all important	○	○	○	◉	○	essential

Does your paper address subitem 21-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Self-reported previous tick exposure of the app users was slightly higher (31.4%) than those reported in the national HealthStyles surveys for the Upper-Midwest and Northeast (22.6%–29.8%), in which respondents were randomly recruited from a large, nationally representative panel of adults aged 18 y.o. or older [20]. However, when comparing self-reported previous tick-borne disease diagnosis, the proportion of users in the app (11.8%) almost doubled that of respondents in the HealthStyles surveys (2.0%–6.5%) [20], and the proportion of users reporting Lyme disease cases in the previous year was higher compared to the general population in the counties

21-ii) Discuss if there were elements in the RCT that would be different in a routine application setting

Discuss if there were elements in the RCT that would be different in a routine application setting (e.g., prompts/reminders, more human involvement, training sessions or other co-interventions) and what impact the omission of these elements could have on use, adoption, or outcomes if the intervention is applied outside of a RCT setting.

	1	2	3	4	5	
subitem not at all important	◉	○	○	○	○	essential

Does your paper address subitem 21-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We did not test a specific intervention and enrollment to the app was completely open, thus we don't have an specific RCT.

OTHER INFORMATION

23) Registration number and name of trial registry

Does your paper address CONSORT subitem 23? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

It was not a trial.

24) Where the full trial protocol can be accessed, if available

Does your paper address CONSORT subitem 24? *

Cite a Multimedia Appendix, other reference, or copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

25) Sources of funding and other support (such as supply of drugs), role of funders

Does your paper address CONSORT subitem 25? *

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"This publication was supported by Cooperative Agreements #U01 CK000505 and #U01 CK000509-01, funded by the Centers for Disease Control and Prevention. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers of Disease Control and Prevention or the Department of Health and Human Services. The funders had no role in the study design, analysis or interpretation of data, or writing of the report."

X27) Conflicts of Interest (not a CONSORT item)

X27-i) State the relation of the study team towards the system being evaluated

In addition to the usual declaration of interests (financial or otherwise), also state the relation of the study team towards the system being evaluated, i.e., state if the authors/evaluators are distinct from or identical with the developers/sponsors of the intervention.

	1	2	3	4	5	
subitem not at all important	○	○	○	○	◉	essential

Does your paper address subitem X27-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"None declared."

About the CONSORT EHEALTH checklist

As a result of using this checklist, did you make changes in your manuscript? *

- ○ yes, major changes
- ◉ yes, minor changes
- ○ no

What were the most important changes you made as a result of using this checklist?

Added more details in Methods.

How much time did you spend on going through the checklist INCLUDING making changes in your manuscript *

5hs.

As a result of using this checklist, do you think your manuscript has improved? *

- (●) yes
- ( ) no
- ( ) Other:

Would you like to become involved in the CONSORT EHEALTH group?

This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document

- (●) yes
- ( ) no
- ( ) Other:

Any other comments or questions on CONSORT EHEALTH

Your answer

STOP - Save this form as PDF before you click submit

To generate a record that you filled in this form, we recommend to generate a PDF of this page (on a Mac, simply select "print" and then select "print as PDF") before you submit it.

When you submit your (revised) paper to JMIR, please upload the PDF as supplementary file.

Don't worry if some text in the textboxes is cut off, as we still have the complete information in our database. Thank you!

Final step: Click submit !

Click submit so we have your answers in our database!

SUBMIT

Never submit passwords through Google Forms.